
FIG. 1



Back My Patients Main			
Patient Mary Doe Age F1 Complaint Disposition Home Acuity 1 Comment 24			
HPI- (HCFA) Level I-III = 1-3 items, Level IV-V = 4 + items			
Chief	© Chest Pain: ▼ SOB: ▼ Nausea: ▼ Vomiting: ▼ Diaphoresis: ▼		
complaint	Palpitations: ▼ AICD Event: ▼ Patient over 40 years of age? ▼		
Time course	Onset:  Sudden Gradual  Constant □ Intermittent □ Worse/ persistent □ resolved		
Location	© □No Localizing Sx. Most severe in:		
Quality	□Pressure □Sharp □Stabbing □Aching □Dull □Burning □Cramping □Fullness □Same as previous episodes.		
Associated with:	□URI Cough ▼ □Headache □Trauma (see notes) Fever ▼ □ Chills □Other		
Severity	Maximum severity is ▼ Current severity is ▼ Pain Grade: ▼		
Exacerbated by:	□Exercise □Palpation of chest □Movement/ walking □Cough/ deep breath □Other □Nothing		
Relieved by	Nitro: ▼ □Oxygen □Supine/ upright □Remaining still □OTC Medications. □Food □Nothing		
Risk Factors	CAD Risk A None None None Hypertension Smoking		
Other:	E/M caveat ▼		
Extra Notes Space (ENS)			

Back My Patients Main			
Patient Mary Doe Age F1 Complaint Disposition Home Acuity 1 Comment			
HPI- (HCFA) Level I-III = 1-3 items, Level IV-V = 4 + items			
Chief	© Chest Pain: ▼ SOB: ▼ Nausea: ▼ Vomiting: ▼ Diaphoresis: ▼		
complaint	Palpitations: ▼ AICD Event: ▼ Patient over 40 years of age? ▼		
Time course	Onset:		
Location	© □No Localizing Sx. Most severe in: ▼ ○ To Back ▼ 32 34		
Quality	□Pressure □Sharp □Stabbing □Aching □Dull □Burning □Cramping □Fullness □Same as previous episodes.		
Associated with:	□URI Cough  □Headache □Trauma (see notes) Fever  □ Chills □Other		
Severity	Maximum severity is ▼ Current severity is ▼ Pain Grade: ▼		
Exacerbated by:	□Exercise □Palpation of chest □Movement/ walking □Cough/ deep breath □Other □Nothing		
Relieved by	Nitro: ▼ □Oxygen □Supine/ upright □Remaining still □OTC Medications. □Food □Nothing		
Risk Factors	CAD Risk A None None None Hypertension Smoking		
Other:	E/M caveat ▼		
Extra Notes Space (ENS)			

#### Don't Get Burned: 3.5 Pain Radiating to the Back

#### Recommendation:

Consider the diagnosis of Thoracic Aortic dissection.

- Measure bilateral arm blood pressure, if possible.
- Look at the X-Ray specifically for signs of TAD (e.g. abnormal aortic contour, widening or mediastinum, deviation of the trachea or mainstem bronchi). Document your observations.

This is offered as a general recommendation, not a standard of care. Specific management is subject to the facts of a particular patient's presentation and the individual physician's judgement


Back My Patients Main  Patient Smith Sammy Age M56 Complaint Chest Pain  Source Home Acuity Comment Ready to splint		
HPI- (HCFA) Level I-III = 1-3 items, Level IV-V = 4 + items		
Chief complaint	© Chest Pain: ▼ SOB: ▼ Nausea: ▼ Vomiting: ▼ Diaphoresis: ▼  Palpitations: ▼ AICD Event: ▼ Patient over 40 years of age? ▼	
Time course	Onset:	
Location	Radiation:       None       None       To Back       To Back       To Back       None       To Back        To Back	
Quality	□Pressure □Sharp □Stabbing □Aching □Dull □Burning □Cramping □Fullness □Same as previous episodes.	

Cardiovascular O	□RRR □Heart sounds normal □No extremity edema □BP in both arms normal □Heart normal to palpation □All of the above are	Rhythm: ▼ Heart sounds: ▼  Murmur: ▼  Grade: ▼  Bilat. BP's ▼
---------------------	--	---

Back My Patients Main			
Patient Smith Sammy Age M56 Complaint Chest Pain Source Home Acuity Comment Ready to splint			
HPI- (HCFA) Level I-III = 1-3 items, Level IV-V = 4 + items			
Chief complaint	© Chest Pain: ▼ SOB: ▼ Nausea: ▼ Vomiting: ▼ Diaphoresis: ▼ Palpitations: ▼ AICD Event: ▼ Patient over 40 years of age? ▼		
Time course	Onset:  Onset:		
Location	□ No Localizing Sx. Most severe in:   □ Radiation:   □ None  □ To Back  □ To Ba		
Quality	□Pressure □Sharp □Stabbing □Aching □Dull □Burning □Cramping □Fullness □Same as previous episodes.		

Cardiovascular	□RRR □Heart sounds normal □No extremity edema □□ □BP in both arms normal □Heart normal to palpation □All of the above are	Rhythm: ▼ Heart sounds: ▼  Murmur: ▼  Grade: ▼
----------------	---	--

FIG. 9



Extremity exam	□Normal inspection □Rot. Cuff nontender □Biceps nontender □ROM normal □Ligaments stable □AC joint nontender □No ecchymosis, abrasion or laceration □ □Axillary Nerve Normal □ □ Capillary Refill Normal □ □ Pulses Intact Distally □ □ Motor Intact Distally □ □ Sensory Intact Distally □ □ All of the above are normal	Echymosis:
	□Sclera not injected	Pupils:  ▼   Sclera:  ▼   Conjunctiva  ▼

